

ST Series**Sunlite F25T8/SP841/10PK 25 Watt T8
High Performance Straight Tube Medium
Bi-Pin (G13) Base, 4100K Cool White, 10
Pack**

T8 High Performance Straight Tube

DESCRIPTION:

Sunlite Fluorescent 25 watt 4100K Cool White T8 High Performance Straight Tube features a Medium Bi-Pin (G13) base, provides a light output of 2300 lumens at a color rendering index (CRI) of 83 and can last an average of, 20000 hours. These lamp utilize a single and double coat phosphor system.Â Series lamps have an increased CRI due to the use ofÂ tri-phosphors (rare earth phosphors). Tri-phosphors also increase the lumens/watt output ofÂ the lamp.Â These series lamps offer superior quality ofÂ lighting, increased energy efficiencies, and extend life.

FEATURES:

- 25 Watt, Case of 10 Lamp
- T8 Light Bulb, Produces a spectacular Cool White Light at 4100K
- Simply remove and replace current bulbs
- Works with linear fluorescent rapid & instant start fixtures
- Ideal solution for commercial, industrial, sign, and display applications



SPECIFICATIONS:**General Characteristics**

Bulb Shape	T8
Average Rated Hours	20000
Base	Medium 2-Pin (G13)
Average Life Span Years	18

Electrical Characteristics

Watts	25
--------------	----

Light Characteristics

Lumens Brightness	2300
Color Rendering Index CRI	83
Emitted Color	Cool White
Color Temperature Kelvin	4100K


Product Dimensions

Size	3 Foot
MOL (in)	36.00
Diameter (in)	1.02"
Item Dimension (in)	(W) 1.02 (H) 36 (D) 1.02
Package Dimension (in)	(W) 1.05 (H) 1.05 (D) 35.75
Package Weight (lb)	0.290

Product Data

Case Unit Rate	10
Pack Size	1
Item UPC	653703302430

VARIATIONS:



<i>Item Number</i>	<i>Description</i>	<i>Watts</i>	<i>Lumens</i>	<i>CRI</i>	<i>Kelvin Color</i>	<i>Hours</i>	<i>Pack</i>
30243-SU	F25T8/SP841	25	2300	83	4100K CW	20000	1
30242-SU	F25T8/SP835	25	2300	83	3500K NW	20000	1