

**Sunlite 81284 LED 7-Inch Round Mini Panel Light Fixture, 15W (75W=), 900 Lmns, Color Selectable 27K/30K/35K/40K/50K, Dimmable, White Finish, 50,000 Hour Life Span, ETL Listed**

**DESCRIPTION:**

*The Sunlite 7 Inch Round LED Mini Flat Panel Fixture is a stylish addition to any décor. It features a slim design metal body with white trim and a shatter-resistant frosted lens. This selectable fixture features innovative technology that allows you to choose the color temperature with a switch at the time of installation. Output is a bright 900 lumens (75 watt equivalent) while only using 15 watts of electricity. High color rendering at 90 CRI. This dimmable indoor/outdoor fixture has a 50,000 hour life span and is ETL Listed for damp location installation. Fixture measures 7.4 inches X 0.63 inches.*

**FEATURES:**

- **SLIM AND STYLISH** - The Sunlite 7 Inch Round LED Mini Flat Panel Fixture is a stylish addition to any décor. It features a slim design metal body with white trim and a shatter-resistant frosted lens.
- **COLOR SELECTABLE** - This selectable fixture features innovative technology that allows you to choose the color temperature with a switch at the time of installation.
- **DIMMABLE** - Fixture can be dimmed when installed with an LED compatible dimmer. Output is a bright 900 lumens (75 watt equivalent) while only using 15 watts of electricity. High color rendering at 90 CRI. Long 50,000 hour life span for significant energy savings over time.
- **LONG LIFE LED** - Built-in long-life LED technology means 50,000 hours of maintenance-free service. No ladders to climb or difficult-to-reach bulbs to replace. Estimated annual energy costs of \$1.81 based on 3 hours/day use.
- **ETL LISTED** - ETL Listed for damp location installation. Each fixture includes installation hardware and instructions. Fixture measures 7.4 inches X 0.63 inches.



## SPECIFICATIONS:

### General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	Forward Phase (Triac or Incandescent)
Dimming Percentage	10-100%
Material	Steel & Plastic
Lens Material	Polycarbonate
Lens Finish	White

### Electrical Characteristics

Watts	15
Volts	120
Equivalent Wattage	75
LED Chip Manufacturer	SMD2835
Power Factor	0.9
Temperature	-20°- 40°

### Light Characteristics

Lumens Brightness	900
Color Rendering Index CRI	90
Emitted Color	CCT Selectable
Color Temperature Kelvin	27K/30K/35K/40K/50K
Beam Angle	120°

### Fixture Characteristics

Shape	Round
Number of Lights	1
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

### Additional Features

Safety Rating Mark	ETL - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes

### Product Dimensions

Size	7"
MOL (in)	0.625
Diameter (in)	7.375
Item Dimension (in)	(W) 7.4 (H) 0.63 (D) 7.4
Package Dimension (in)	(W) 8.1 (H) 1.7 (D) 8.1
Package Weight (lb)	0.800

### Product Data

Case Unit Rate	20
Item UPC	653703812847
Warranty Years	5

---

**ACCESSORIES:**

Catalog # 81269-SU  
EMERGENCY

Catalog # 50208-SU  
TRIM/MP/7R/BL