

Sunlite 82057-SU LED Square Slim Downlight Fixture 4 Inch, 10 Watt, Dimmable, 650 Lumen, 1 Pack, 50K -Super White

Slim

DESCRIPTION:

These 4-inch Square ultra slim downlights from Sunlite feature innovative technology that provides down lighting without all the labor. Use for new installations or as a replacement for existing recessed lighting. Perfect for residential, commercial, retail, office, hospitality and educational institutions. Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace. With an annual energy cost of \$1.2 (based on 3 hrs/day \$0.11 per/kWh) you'll save over 80% versus traditional bulbs. These dimmable fixtures are instant on with no warmup time. And no flickering or buzzing like fluorescent bulbs. They are ETL Listed for damp location installation and Energy Star Certified.



- ULTRA SLIM DESIGN Shallow depth makes for easier installation, especially in low-clearance applications. No housing required. Use these 4-Inch Square fixtures for new installations or as a replacement for existing recessed lighting.
- BRIGHT AND DIMMABLE These dimmable fixtures put out a bright 650 lumens at 5000K Super White color temperature. Transform the scene in any room simply by adjusting the lighting to suit the mood. From bright task lighting to a low relaxing setting and everything in between. Adjustable from 100% 10%.
- ENERGY EFFICIENT Comparable output to 70 watt bulb with only 10 watts of energy useage. These Energy Star Certified fixtures may qualify you for state and local rebate programs.
- LONG LIFE LED Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace.
- COMMERCIAL AND RESIDENTIAL USE These energy efficient fixtures are a favorite among contractors, electricians, and home improvement professionals. Perfect for residential, commercial, retail, office, hospitality and educational institutions. ETL Listed for Damp Location installations.





SPECIFICATIONS:

General Characteristics

Average Rated Hours36000FinishWhiteAverage Life Span Years33

Yes

Forward Phase (Triac or

Incandescent)

Aluminum & Acrylic

10-100%

Acrylic

White

0.9 -20~+40?

Super White

Dimmable
Dimming Type

Dimming Percentage

Material Lens Material Lens Finish

Electrical Characteristics

Watts 10
Volts 120
Equivalent Wattage 70
LED Chip Manufacturer SMD2835

LED Chip Manufacturer
Power Factor

Temperature

Light Characteristics

Lumens Brightness650Color Rendering Index CRI80R9 Rating23

Emitted Color

Color Temperature Kelvin 5000K **Beam Angle** 110°

Fixture Characteristics

ShapeSquareNumber of Lights1

Mounting Recessed

IC RatingYesFixture TechnologyLEDUse LocationIndoor

Additional Features

Safety Rating Mark ETL - Damp Location

Safety Rated For Canada
Yes
Safety Rated For USA
Yes
Energy Star
Energy Star Number
2332032

Product Dimensions

Size
Item Dimension (in)
Item Weight (lb)
Package Dimension (in)
Package Weight (lb)
Canopy Width (in)
Cord Length

Product Data

Case Unit Rate Item UPC Warranty Years 4"
(W) 4.73 (H) 0.81 (D) 4.73
0.360
(W) 5 (H) 2.7 (D) 6.1
0.200
4.0
11" Cord

12 653703820576 5



ACCESSORIES:

Catalog # 87726-SU NEW