

# Sunlite 82076 6-Inch LED Square Slim Downlight Fixture, 12 Watts, 850 Lumens, 3000K Warm White, Dimmable, ETL Listed, 1 Pack

Slim

#### **DESCRIPTION:**

These 6-inch square ultra slim downlights from Sunlite feature innovative technology that provides down lighting without all the labor. Use for new installations or as a retrofit replacement for existing recessed lighting. Perfect for residential, commercial, retail, office, hospitality and educational institutions. Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace. With an annual energy cost of \$1.2 (based on 3 hrs/day \$0.11 per/kWh) you'll save over 80% versus traditional bulbs. These dimmable fixtures are instant on with no warmup time. And no flickering or buzzing like fluorescent bulbs. They are ETL Listed for damp location installation and energy saving.



- ULTRA SLIM DESIGN Shallow depth makes for easier installation, especially in low-clearance applications. No housing required. Use these 6-Inch square fixtures for new installations or as a retrofit replacement for existing recessed lighting.
- BRIGHT AND DIMMABLE These dimmable fixtures put out a bright 850 lumens at 3000K warm white color temperature. Transform the scene in any room simply by adjusting the lighting to suit the mood. From bright task lighting to a low relaxing setting and everything in between. Adjustable from 100% - 10%.
- ENERGY EFFICIENT Comparable output to 90 watt bulb with only 12 watts of energy useage. These energy saving fixtures may qualify you for state and local rebate programs.
- LONG LIFE LED Built-in long life LED technology means 36,000 hours of maintenance free service. No ladders to climb or difficult to reach bulbs to replace.
- COMMERCIAL AND RESIDENTIAL USE These energy efficient fixtures are a favorite among contractors, electricians, and home improvement professionals. Perfect for residential, commercial, retail, office, hospitality and educational institutions. ETL Listed for Damp Location installations.







### SPECIFICATIONS:

#### **General Characteristics**

Bulb Shape Average Rated Hours

Finish

Average Life Span Years

Dimmable
Dimming Type

**Dimming Percentage** 

Material Lens Material Lens Finish Bulb Type

**Electrical Characteristics** 

Watts 12
Volts 120
Equivalent Wattage 90
LED Chip Manufacturer SMD2835

LED Chip Manufacturer
Power Factor

Temperature

**Light Characteristics** 

Lumens Brightness
Color Rendering Index CRI

Emitted Color

Color Temperature Kelvin

Beam Angle

Fixture Characteristics

Shape Number of Lights

MountingRecessedIC RatingYesFixture TechnologyLEDUse LocationIndoor

Additional Features

Safety Rating Mark ETL - Damp Location

Product Dimensions

Integrated LED

Incandescent)

10-100%

**Aluminum** 

Integrated

**PMMA** 

White

0.9

850

80

3000K 110°

Square

1

-20~+40?

Warm White

Forward Phase (Triac or

36000

White

33

Yes

Size

MOL (in)

Item Dimension (in)

Item Weight (lb)

Package Dimension (in)

Package Weight (lb)

Canopy Width (in)

**Product Data** 

**Cord Length** 

Case Unit Rate Item UPC Warranty Years 6" 0.91

(W) 6.67 (H) 1.8 (D) 6.67

1.130

(W) 8.1 (H) 2.66 (D) 6.94

1.400 6.0

12" Cord

12

653703820767

5



## **ACCESSORIES:**

Catalog # **87726-SU NEW**