

Sunlite 82097 4-Foot LED Linear Strip Light, Wraparound Fixture, Selectable 3 CCT 3000K-5000K, 36 Watts, 4680 LMN, Dimmable, 50,000 Hour Life Span, 80 CRI, Surface Mount, Steel Body, UL & DLC Listed

Wrap



DESCRIPTION:

Sunlite LED 4-Foot Linear Strip Light Fixtures are an energy-efficient and maintenance-free lighting solution. These hardwired fixtures have built-in LEDs, so there are no bulbs to replace. When connected to an LED-compatible dimmer, you can adjust the light output to suit your needs. These multi-volt 120-277V fixtures are ideal for commercial, industrial, and residential applications. Steel construction with an acrylic lens designed for indoor use. With a 50,000-hour life span, these fixtures will provide years of maintenance-free service. Each fixture uses only 36 Watts of electricity and has a selectable color temperature. They are ETL listed for damp location use and DLC listed for efficiency and design. The lens is made of shatterproof acrylic, and unlike fluorescent tube fixtures, they contain no harmful chemicals.

FEATURES:

- **LED TECHNOLOGY:** The Sunlite Strip Light Fixture is an excellent addition to any atmosphere. It features a slim, robust steel frame and a shatter-resistant frosted lens. LED wraparound lights are the ideal method for replacing traditional fluorescent lamps. These 4-Foot-long lamps have built-in LEDs, so there are no bulbs to replace, making these a maintenance-free solution. Also, their service life is five times that of the standard fluorescent strip lights.
- **DIMMABLE:** The fixture can be dimmed when installed with an LED-compatible dimmer. Output is a bright 4680 lumens while only using 36 watts of electricity. Operates within 120-277V AC, 10%-100% dimming range, low voltage dimmers capability (0-10V), and has a color rendering at 80 CRI. The long 50,000-hour life span is significant in energy savings over time.
- **SELECTABLE COLOR TEMPERATURE:** Test different color temperatures before installation and never be dissatisfied with CCT again. This simplistic fixture has selectable LED color technology (3000K, 4000K, 5000K), quickly meeting different demands in areas. With a simple switch inside the fixture, the color temperature is adjusted to your desire. **PLEASE NOTE:** select the desired color temperature before completely mounting the fixture. (Instructions included)
- **EASY INSTALLATION:** The LED strip light is easily installed on any junction box and can be mounted in two ways, surface and suspension. Directly mount this LED Wraparound fixture to the ceiling for bright light in offices, garages, basements, warehouses, and storage areas. Refer to installation instructions for detailed steps; mounting hardware is included.
- **ETL LISTED:** With a 50,000-hour life span, these fixtures will provide years of maintenance-free service. These fixtures are ideal for commercial, industrial, and residential settings, including offices, hospitals, schools, retail, and workshops. ETL Listed for damp location installation. Each fixture includes installation hardware and instructions. Fixture Measurements: 3.77"H x 48"L x 4.13"W.

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Material	Steel
Lens Finish	White

Electrical Characteristics

Watts	36
Volts	120-277

Light Characteristics

Lumens Brightness	4680
Color Rendering Index CRI	80
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K

Fixture Characteristics

Style	Traditional
Shape	Square
Mounting	Wall
Fixture Technology	LED
Use Location	Indoor

Additional Features

DLC	Yes
DLC Number	PLHQJ6AYJX42
DLC Classification	Standard

Product Dimensions

Size	48"
Item Dimension (in)	(W) 4.13 (H) 3.7 (D) 46.25
Package Dimension (in)	(W) 4.52 (H) 4.33 (D) 47.6
Package Weight (lb)	5.32

Product Data

Case Unit Rate	4
Item UPC	653703820972
Warranty Years	5

ACCESSORIES:

Catalog # 05807-SU
RPG/LFX/BB213/4FT