

Sunlite 85322-SU LED Outdoor Street Light, 50K - Super White, 9515 Lumen, 75 Watt, Bronze Finish

DESCRIPTION:

Sunlite LED Street Light fixtures provide ample outdoor illumination and high visibility. With a bright 9515 lumen output at 5000K Super White color temperature they are an energy efficient solution for your lighting needs. Each fixture uses only 75 watts with a low estimated yearly energy cost of \$9.03. (Based on 3 hours/day use at \$0.11/kWh) Ideal for commercial, industrial, roadway, parking lot and pathway lighting. Long life, LED technology built-in means no bulbs to replace and up to 50,000 hours of maintenance-free service. ETL Listed for wet location installation and DLC Listed for quality and efficiency.

FEATURES:

- **LED TECHNOLOGY** - Sunlite LED Street Light Fixtures provide ample illumination and high visibility while saving energy. Each fixture contains 96 high output LEDs.
- **ENERGY EFFICIENT** - Using only 75 watts of energy these fixtures have a low estimated yearly energy cost of \$9.03. (Based on 3 hours/day use at \$0.11/kWh) With a 50,000 hour lifespan these fixtures will provide significant savings in electricity over their lifetime and require no maintenance.
- **HIGH LUMEN OUTPUT** - Each fixture contains 96 high output LEDs and gives off a bright 9515 lumen output with 5000K super white color temperature.
- **MULTIPLE OUTDOOR USES** - These commercial grade fixtures are made from weather resistant die-cast aluminum with a bronze finish. Ideal for commercial, industrial, roadway, parking lot and pathway lighting. Mounting hardware sold separately.
- **ETL AND DLC LISTED** - These fixtures are ETL Listed for wet location installation and DLC Listed for quality and efficiency. They operate on 120-277 volt service.



SPECIFICATIONS:

General Characteristics

Bulb Shape	Integrated LED
Average Rated Hours	50000
Finish	Bronze
Average Life Span Years	46
Dimmable	No
Material	Metal
Lens Finish	Clear
Bulb Type	Integrated

Electrical Characteristics

Watts	75
Volts	120-277
Equivalent Wattage	250-400
LED Chip Manufacturer	Philips 3030
Power Factor	0.92
Temperature	-40° to 40° C

Light Characteristics

Lumens Brightness	9515
Color Rendering Index CRI	70
Emitted Color	Super White
Color Temperature Kelvin	5000K
Beam Angle	100°-60°
Mercury Content	5

Fixture Characteristics

Number of Lights	1
Mounting	Pole
Fixture Technology	LED
Use Location	Outdoor

Additional Features

Safety Rating Mark	ETL Listed - Wet Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Number	P0KB6CK9
DLC Classification	Standard

Product Dimensions

Item Dimension (in)	(W) 11.71 (H) 3.29 (D) 16.59
Package Dimension (in)	(W) 17 (H) 5.5 (D) 13.4
Package Weight (lb)	12.650

Product Data

Item UPC	653703853222
Warranty Years	5



ACCESSORIES:



Catalog # 85335-SU
SLIP



Catalog # 85336-SU
NON