

Sunlite 85483-SU 96-Inch Linear LED Strip Fixture, 75 Watts (1,000W Equivalent), 120-277 Volts, Dimmable, 9900 Lumens, UL Listed, DLC Listed, Commercial or Residential Use, 40K - Cool White

DESCRIPTION:

Sunlite 96-inch Linear LED Fixtures are an energy efficient lighting option for ceiling or wall mounting. This hard wired fixture is simple to install on any junction box and includes installation hardware. It features a durable steel body and a shatter-resistant acrylic lens. Output for this 8 foot fixture is a bright 9825 lumen while only using 75 watts of electricity. Low annual energy costs of \$9.03 (Based on 3 Hours/Day at \$0.11/kWh). These fixtures are dimmable when attached to an LED compatible dimmer (Low Voltage 0-10V). Integrated LEDs with a long 50,000 hour life span provide years of reliable and maintenance-free service. And unlike fluorescent tubes they are instant on at full brightness and contain no harmful chemicals. UL Listed for damp location installation. DLC Listed for quality and design. This indoor fixture is ideal for residential or commercial installations in stairwells, corridors, storage areas, basements, garages, warehouses, or anywhere extra lighting is needed. Operates on 120-277V service.

FEATURES:

- **LED TECHNOLOGY** - This 96-inch fixture has built-in LEDs that never need replacing. Color temperature is 4000K (Cool White). Operates on 120-277V service. Ideal commercial or residential installations.
- **EASY TO INSTALL** - Installation is simple on any junction box and installation hardware is included. Can be ceiling or wall mounted and features a durable steel body with a shatter-resistant acrylic lens.
- **LONG LIFE** - With integrated LEDs and a long 50,000 hour life span this fixture will provide years of reliable and maintenance-free service.
- **ENERGY EFFICIENT** - This fixture is instant on at full brightness and puts out 9825 lumens of light while only using 75 watts of electricity. Estimated annual energy cost is a low \$9.03 (Based on 3 hours/day at \$0.11/kWh). This fixture is dimmable when attached to an LED compatible dimmer (Low Voltage 0-10V).
- **UL LISTED** - This fixture is UL Listed for safety and quality and DLC Listed for efficient design. And unlike fluorescent tube fixtures it contains no harmful chemicals.

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	Yes
Dimming Type	0-10V Low Voltage
Dimming Percentage	10-100%
Material	Metal & Acrylic
Lens Material	PMMA
Lens Finish	White

Electrical Characteristics

Watts	75
Volts	120-277
LED Chip Manufacturer	SEOUL 3528
Power Factor	0.98
Temperature	-20-50°

Light Characteristics

Lumens Brightness	9750
Color Rendering Index CRI	82
Emitted Color	Cool White
Color Temperature Kelvin	4000K

Fixture Characteristics

Style	Modern
Shape	Linear
Number of Lights	1
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	UL Listed - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes
DLC	Yes
DLC Number	PLKNELVOFUHK
DLC Classification	Premium

Product Dimensions

Size	96"
Item Dimension (in)	(W) 3.3 (H) 3.3 (D) 94.2
Package Dimension (in)	(W) 3.7 (H) 3.7 (D) 95.5
Package Weight (lb)	11.550

Product Data

Case Unit Rate	4
Item UPC	653703854830
Warranty Years	5

ACCESSORIES:

Catalog # 97084-SU
MICROWAVE

Catalog # 85124-SU
LFX/TROFFER