

Sunlite 87779 LED 12 Inch Dual Band Ceiling Flush Mount, Emergency 90-Min Battery Back-Up, 15 Watts, 1050 Lumens, Adjustable 3 CCT 3000K-5000K, Dimmable, 50,000 Hour Lifespan, Brushed Nickel

EM Backup

DESCRIPTION:

The Sunlite Decorative Dual Band Ceiling Light Fixture is a simple fixture that combines a classic look with modern features. Its frosted round diffuser brushed nickel accents, and versatility; make it perfect for bathrooms, kitchens, entryways, and anywhere else around your home. Integrated LED boards and suitability for damp areas will save you money on your electric bill and provide a stable, functional light output. With its adjustable color-changing technology (3000K, 4000K, 5000K), this feature would make the perfect light fixture for those new renovation projects; without breaking the bank!



FEATURES:

- **CLASSIC DESIGN-** The Sunlite Dual Band Flush Mount Ceiling Light fixture combines a traditional finish and minimal shape, making for a lovely fixture. The frosted acrylic round diffuser provides the perfect light distribution while still making the clean lines of the dual brushed nickel bands a center focus.
- **BACK-UP BATTERY** - Installed with a built-in 3.6V/600mAh Ni-CD battery. This backup battery provides 90-minutes of reserved power for outages. The adjustable LED lamps immediately go on when the power goes off. The battery automatically recharges within 24 hours after outages, so no replacement battery is necessary.
- **ADJUSTABLE COLOR TEMPERATURE:** Test different color temperatures before installation and never be dissatisfied with CCT again. This simplistic fixture has adjustable LED color-changing technology (3500K, 4000K, 5000K), quickly meeting different demands in areas. With a simple switch inside the fixture, the color temperature is adjusted to your desire. **PLEASE NOTE:** select the desired color temperature before completely mounting the fixture. (Instructions included).
- **DAMP LOCATED & CONVENIENT:** This flush mount ceiling light is suitable for damp locations, ideal for areas like kitchens or bathrooms. Adjusting the color temperature can be quickly done; you can meet different demands in the regions that require more coverage lighting like bedrooms, hallways, guestrooms, and garages. Great for small spaces like pantries and walk-in closets.
- **EASY INSTALLATION & LONG SERVICE LIFE:** Designed to be installed with the mounting plate, all it takes is a simple screwdriver to mount the plate. Twist the decorative nuts to mount the diffuser to the plate. (Complete installation steps will be included). With 50,000 Hours of service life, this translates to over 10 Years of continuous

SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	Brushed Nickel
Average Life Span Years	46
Dimmable	Yes
Material	Steel & Acrylic
Lens Finish	White

Electrical Characteristics

Watts	15
Volts	120

Light Characteristics

Lumens Brightness	1050
Color Rendering Index CRI	80
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K

Fixture Characteristics

Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

Product Dimensions

Size	12"
MOL (in)	4.5
Diameter (in)	12
Item Dimension (in)	(W) 12 (H) 4.5 (D) 12
Item Weight (lb)	4.35
Package Dimension (in)	(W) 13.23 (H) 5.2 (D) 13.75
Package Weight (lb)	4.35

Product Data

Case Unit Rate	4
Item UPC	653703877792
Warranty Years	5

ACCESSORIES:

Catalog # 98953-CMP
Offset