

**Sunlite 88670-SU LED Mushroom
Porcelain Socket Fixture, 10 Watts (60W
Equivalent), Medium Base (E26), 700
Lumen, ETL Listed, White Finish, 30K
Warm White****DESCRIPTION:**

Upgrade your existing porcelain socket with this decorative LED mushroom fixture from Sunlite. Installation is as simple as screwing in a light bulb with no tools required. Designed to cover your existing porcelain socket completely and has a built-in pull chain for convenience. Replaces medium base (E26) bulbs. 24 integrated LEDs use only 10 watts of energy while providing as much light as a 60 watt light bulb (700 Lumen). Low estimated annual energy costs of \$1.20 (based on 3 hours/day at \$0.11/kWh). With a 50,000 hour life span, these are an ideal no maintenance lighting solution for hard to reach bulbs. Use in closets, hallways, stairwells, garages, basements, attics, and more. ETL Listed for damp location installation. Fixture 7.5 inches in diameter and 5 inches high.

FEATURES:

- **UPGRADE TO LED** - Upgrade your existing porcelain socket with this decorative LED mushroom fixture. 24 Integrated LEDs never need replacing. Metal base with frosted acrylic lens for even light distribution. Puts out a warm white light (3000K).
- **EASY TO INSTALL** - Installation is as simple as screwing in a light bulb with no tools required. Designed to cover your existing porcelain socket completely and has a built-in pull chain for convenience. Replaces medium base (E26) bulbs.
- **ENERGY EFFICIENT** - Integrated LEDs use only 10 watts of energy while providing as much light as a 60 watt light bulb (700 Lumen). Low estimated annual energy costs of \$1.20 (based on 3 hours/day at \$0.11/kWh).
- **50,000 HOUR LIFE SPAN** - With a 50,000 hour life span, this is an ideal no maintenance lighting solution for hard to reach bulbs.
- **ETL LISTED** - This fixture is ETL Listed for damp location installation. Use in closets, hallways, stairwells, garages, basements, attics, and more. Fixture 7.5 inches in diameter and 5 inches high.



SPECIFICATIONS:

General Characteristics

Average Rated Hours	50000
Finish	White
Average Life Span Years	46
Dimmable	No
Material	Metal & Acrylic
Lens Material	Acrylic
Lens Finish	White

Electrical Characteristics

Watts	10
Volts	100-277
Equivalent Wattage	60
LED Chip Manufacturer	5630
Power Factor	0.9
Temperature	20-40

Light Characteristics

Lumens Brightness	700
Color Rendering Index CRI	80
Emitted Color	Warm White
Color Temperature Kelvin	3000K
Beam Angle	120°

Fixture Characteristics

Shape	Round
Number of Lights	1
Mounting	Other
Fixture Technology	LED
Use Location	Indoor

Additional Features

Safety Rating Mark	ETL - Damp Location
Safety Rated For Canada	Yes
Safety Rated For USA	Yes

Product Dimensions

Size	7"
MOL (in)	5
Diameter (in)	7.5
Item Dimension (in)	(W) 7.1 (H) 3.5 (D) 7.1
Item Weight (lb)	0.550
Package Dimension (in)	(W) 7.4 (H) 7.4 (D) 3.9
Package Weight (lb)	2.800

Product Data

Case Unit Rate	6
Item UPC	653703886701
Warranty Years	5

ACCESSORIES:

Catalog # 98952-CMP
Universal