

Deep

## DESCRIPTION:

*Highlighting a dedication to quality and integrity, the Sunlite product line includes light bulbs of LED, linear fluorescent, compact fluorescent, incandescent, HID metal halide, halogen, decorative, and specialty lamps. In addition, the Sunlite line includes various indoor and outdoor commercial, Industrial, and residential fixtures. Electrical products include extension cords, socket adapters, wall plates, receptacles and switches, dimmers, timers, surge protectors, and much more.*

## FEATURES:

- 
- 
- 
- 
- 



## SPECIFICATIONS:

### General Characteristics

Average Rated Hours	50000
Finish	Brushed Nickel
Average Life Span Years	46
Dimmable	Yes
Dimming Type	Forward Phase (Triac or Incandescent)
Dimming Percentage	10-100%
Material	Steel & Acrylic
Lens Material	Acrylic
Lens Finish	White
Application	Residential

### Electrical Characteristics

Watts	21
Volts	120
Equivalent Wattage	100
LED Chip Manufacturer	2835
Power Factor	0.98
Temperature	-4°F - 113°F

### Light Characteristics

Lumens Brightness	1500
Color Rendering Index CRI	90
Emitted Color	CCT Selectable
Color Temperature Kelvin	30K/40K/50K

### Fixture Characteristics

Shape	Round
Mounting	Surface
Fixture Technology	LED
Use Location	Indoor

### Additional Features

Safety Rating Mark	ETL - Damp Location
Mercury Free	Yes

### Product Dimensions

Size	14"
MOL (in)	4.5
Diameter (in)	14
Item Dimension (in)	(W) 14 (H) 4.5 (D) 14
Package Dimension (in)	(W) 15.5 (H) 15 (D) 15.5
Package Weight (lb)	4.85

### Product Data

Case Unit Rate	4
Item UPC	653703886893
Warranty Years	5

---

**ACCESSORIES:**

Catalog # 98953-CMP  
Offset